EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8	generic near2 API$2 near2 (command$1 or call$1 or instruction$1) and (@ad<"20010215" or @rlad<"20010215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 10:22
L2	20614524	generic near2 Api$2 same interface (@ad<"20010215" or @rlad<"20010215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 10:23
L3	98	generic near2 Api$2 same interface and (@ad<"20010215" or @rlad<"20010215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 10:23
L4	28	generic near2 Api$2 same interface same user$1 and (@ad<"20010215" or @rlad<"20010215") and generic near2 api$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 10:24
S1	2	"6594712".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 18:58
S2	0	"6594712".pn. and tcp$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 18:57
S3	179	rdma and (@ad<"20010215" or @rlad<"20010215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 18:59
S4	189	(rdma or (remote near direct near memory near access)) and (@ad<"20010215" or @rlad<"20010215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 10:16

S5	64	(rdma or (remote near direct near memory near access)) and tcp$4 and (@ad<"20010215" or @rlad<"20010215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 09:02
S6	45	(rdma or (remote near direct near memory near access)) and tcp$4 and (map$4 or correlat$4 or translat$4) and (@ad<"20010215" or @rlad<"20010215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 19:01
S7	20	(rdma or (remote near direct near memory near access)) and tcp$4 and (map$4 or correlat$4 or translat$4) same queue$1 and (@ad<"20010215" or @rlad<"20010215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 19:09
S8	0	(rdma or (remote near direct near memory near access)) and (map$4 or correlat$4 or translat$4) near15 (tcp$4 or IP)same queue$1 and (@ad<"20010215" or @rlad<"20010215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 19:06
S9	140	(map$4 or correlat$4 or translat$4) near15 (tcp$4 or IP)same queue$1 and (@ad<"20010215" or @rlad<"20010215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 19:06
S10	140	(map$4 or correlat$4 or translat$4) near15 (tcp$4 or ip)same queue$1 and (@ad<"20010215" or @rlad<"20010215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 19:11
S11	11	(map$4 or correlat$4 or translat$4) near15 (tcp$4 or ip)same queue$1 near10 server$1 and (@ad<"20010215" or @rlad<"20010215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 19:50
S12	5	(adapter or router or gateway or switch) near15(map$4 or correlat$4 or translat$4) near15 queue$1 near10 server$1 and (@ad<"20010215" or @rlad<"20010215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 19:53

S13	16	(map$4 or correlat$4 or translat$4) near15 connection$1 near15 queue$1 near3 (number$1 or id$1 or identifier$1) and (@ad<"20010215" or @rlad<"20010215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 19:54
S14	53	(rdma or (remote near direct near memory near access)) and client$1 and server$1 and (@ad<"20010215" or @rlad<"20010215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 09:03
S15	25	(rdma or (remote near direct near memory near access)) and client$1 and server$1 and tcp$4 and (@ad<"20010215" or @rlad<"20010215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 09:03
S16	22	(rdma or (remote near direct near memory near access)) and client$1 and server$1 and queue$1 and tcp$4 and (@ad<"20010215" or @rlad<"20010215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 09:16
S17	14	(rdma or (remote near direct near memory near access)) and client$1 and server$1 and work near queue$1 and tcp$4 and (@ad<"20010215" or @rlad<"20010215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 09:37
S18	2	(rdma or (remote near direct near memory near access)) and client$1 and server$1 and work near queue$1 and tcp$4 and infiniband and (@ad<"20010215" or @rlad<"20010215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 09:45
S19	4	(rdma or (remote near direct near memory near access)) and server$1 and work near queue$1 and tcp$4 and infiniband and (@ad<"20010215" or @rlad<"20010215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 09:50
S20	0	server$1 and work near queue$1 same (ip or source) near2 address$2 and tcp$4 and infiniband and (@ad<"20010215" or @rlad<"20010215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 09:50

EAST Search History

S21	2	(rdma or (remote near direct near memory near access)) and server$1 and work near queue$1 same (ip or source) near2 address$2 and tcp$4 and (@ad<"20010215" or @rlad<"20010215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 09:53
S22	2	(rdma or (remote near direct near memory near access)) and work near queue$1 same (ip or source) near2 address$2 and tcp$4 and (@ad<"20010215" or @rlad<"20010215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 09:55
S23	3	server$1 and work near queue$1 same (ip or source) near2 address$2 and tcp$4 and (@ad<"20010215" or @rlad<"20010215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 09:54
S24	9	server$1 and (work near queue$1 or WQ$2) same (ip or source) near2 address$2 and tcp$4 and (@ad<"20010215" or @rlad<"20010215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 09:58
S25	8	(rdma or (remote near direct near memory near access)) and ((work near queue$1) or WQ$3) same (ip or source) near2 address$2 and tcp$4 and (@ad<"20010215" or @rlad<"20010215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 09:55
S26	9	(work near queue$1 or WQ$2) same (ip or source) near2 address$2 and tcp$4 and (@ad<"20010215" or @rlad<"20010215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 09:59
S27	14	(work near queue$1 or WQ$2) same (ip or source) near2 address$2 and (@ad<"20010215" or @rlad<"20010215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 09:59
S28	5	(work near queue$1 or WQ$2) same (ip or source) near2 address$2 and (@ad<"20010215" or @rlad<"20010215") not S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 10:01

EAST Search History

S29	5	(work near queue$1 or WQ$2) same (ip or source or native) near2 address$2 and (@ad<"20010215" or @rlad<"20010215") not S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 10:02
S30	5	(work near queue$1 or WQ$2) same (ip or source or tcp$4) near2 address$2 and (@ad<"20010215" or @rlad<"20010215") not S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 10:02
S31	0	(work near queue$1 or WQ$2) same (ip or source or tcp$4) near2 connection$1 and (@ad<"20010215" or @rlad<"20010215") not S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 10:02
S32	2	"20010018349"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/25 17:14
S33	2	"6426959".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/25 17:14
S34	2	"20010018349"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 13:59
S35	2	"6687817".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 14:03
S36	220	register$4 near15 device$1 near20 lookup	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 14:04

EAST Search History

S37	146	register$4 near15 device$1 near20 lookup and (@ad<"20010406" or @rlad<"20010406")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 14:05
S38	0	register$4 near15 device$1 near20 lookup and device$1 near15 automatic$6 near15 (search$4 or discover$4) near10 lookup and (@ad<"20010406" or @rlad<"20010406")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 14:06
S39	0	register$4 near15 device$1 near20 lookup and automatic$6 near15 (search$4 or discover$4) near10 lookup and (@ad<"20010406" or @rlad<"20010406")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 14:07
S40	4386	connect$4 near15 client$1 near15 service$1 and (@ad<"20010406" or @rlad<"20010406")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 14:08
S41	0	connect$4 near15 client$1 near15 service$1 and automatic$6 near15 (search$5 or discover$6 or detect$4) near15 lookup and (@ad<"20010406" or @rlad<"20010406")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 14:10
S42	0	connect$4 near15 client$1 near15 service$1 and automatic$6 near15 (search$5 or discover$6 or detect$4) near15 jini and (@ad<"20010406" or @rlad<"20010406")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 14:10
S43	24	connect$4 near15 client$1 near15 service$1 and automatic$6 near15 (search$5 or discover$6 or detect$4) and jini and (@ad<"20010406" or @rlad<"20010406")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 14:17
S44	229189	automatic$6 near15 (search$5 or discover$6 or detect$4) lookup near5 service$1 and (@ad<"20010406" or @rlad<"20010406")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 14:18

S45	0	automatic$6 near15 (search$5 or discover$6 or detect$4) near10 lookup near5 service$1 and (@ad<"20010406" or @rlad<"20010406")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 14:19
S46	3794	automatic$6 near15 (search$5 or discover$6 or detect$4) same register$4 and (@ad<"20010406" or @rlad<"20010406")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 14:19
S47	21	automatic$6 near15 (search$5 or discover$6 or detect$4) same register$4 near15 storage near2 device$1 and (@ad<"20010406" or @rlad<"20010406")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 14:23
S48	0	automatic$6 near15 (search$5 or discover$6 or detect$4) same register$4 near15 nas near2 device$1 and (@ad<"20010406" or @rlad<"20010406")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 14:23
S49	1	automatic$6 near15 (search$5 or discover$6 or detect$4) same register$4 and nas near2 device$1 and (@ad<"20010406" or @rlad<"20010406")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 14:24
S50	6	device$1 near15 automatic$6 near15 (search$5 or discover$6 or detect$4) near15 directory and register$4 near15 device$1 near15 directory and (@ad<"20010406" or @rlad<"20010406")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 14:28
S51	993	service$1 near15 automatic$6 near15 register$6 and (@ad<"20010406" or @rlad<"20010406")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 14:29
S52	113	service$1 near15 automatic$6 near15 register$6 and connect$4 near15 client$1 near15 service$1 and (@ad<"20010406" or @rlad<"20010406")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 14:30

S53	71	service$1 near15 automatic$6 near15 register$6 and connect$4 near15 client$1 near15 service$1 and (GUI or (graphical adj user adj interface)) and (@ad<"20010406" or @rlad<"20010406")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 14:31
S54	1	service$1 near15 automatic$6 near15 register$6 and connect$4 near15 client$1 near15 service$1 and (GUI or (graphical adj user adj interface)) same new near2 (service$1 or device$1) and (@ad<"20010406" or @rlad<"20010406")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 14:43
S55	79	automatic$6 near15 discover$4 same register$6 and (@ad<"20010406" or @rlad<"20010406")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 14:44
S56	78123	automatic$6 near15 discover$4 same register$6 network$4 near3 device$1 and (@ad<"20010406" or @rlad<"20010406")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 14:48
S57	5	automatic$6 near15 discover$4 same register$6 same network$4 near3 device$1 and (@ad<"20010406" or @rlad<"20010406")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 14:47
S58	2	automatic$6 near15 discover$4 same register$6 same network$4 near3 device$1 and nas and (@ad<"20010406" or @rlad<"20010406")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 14:45
S59	5	automatic$6 near15 discover$4 same register$6 same network$4 near3 device$1 and register$6 and(@ad<"20010406" or @rlad<"20010406")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 14:48
S60	1	automatic$6 near15 discover$4 same register$6 near15 storage near2 device$1 and (@ad<"20010406" or @rlad<"20010406")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 14:51

S61	32	automatic$6 near15 discover$4 same register$6 near12 device$1 and (@ad<"20010406" or @rlad<"20010406")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 14:56
S62	754	automatic$6 near15 (discover$4 or search$4) same register$6 and (@ad<"20010406" or @rlad<"20010406")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 14:57
S63	0	automatic$6 near15 (discover$4 or search$4) same register$6 near15 lookup and (@ad<"20010406" or @rlad<"20010406")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 14:57
S64	6	automatic$6 near15 (discover$4 or search$4) same register$6 near15 look$up and (@ad<"20010406" or @rlad<"20010406")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 14:58
S65	12	automatic$6 near15 (discover$4 or search$4) same register$6 near15 directory and (@ad<"20010406" or @rlad<"20010406")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 14:59
S66	1	automatic$6 near15 (discover$4 or search$4) same register$6 and nas near2 device$1 and (@ad<"20010406" or @rlad<"20010406")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 15:00
S67	5	automatic$6 near15 (discover$4 or search$4) same register$6 near15 itself and (@ad<"20010406" or @rlad<"20010406")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 15:01
S68	7	automatic$6 near15 (discover$4 or search$4) same register$6 and 709/220.ccls. and (@ad<"20010406" or @rlad<"20010406")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 15:20

S69	49	automatic$6 near15 register$6 and 709/220.ccls. and (@ad<"20010406" or @rlad<"20010406")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 15:05
S70	0	automatic$6 near15 register$6 and nas near2 device$1 and 709/220.ccls. and (@ad<"20010406" or @rlad<"20010406")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 15:05
S71	1	automatic$6 near15 register$6 near15 network$2 near2 device$1 and 709/220.ccls. and (@ad<"20010406" or @rlad<"20010406")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 15:05
S72	78	service$1 near director$4 and 709/220.ccls. and (@ad<"20010406" or @rlad<"20010406")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 15:21
S73	0	service$1 near director$4 and automatic$6 near15 (search$4 or discover$4) near15 serice$1 near director$4 and 709/220.ccls. and (@ad<"20010406" or @rlad<"20010406")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 15:22
S74	0	service$1 near director$4 and automatic$6 near15 (search$4 or discover$4) near15 serice$1 near director$4 and (@ad<"20010406" or @rlad<"20010406")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 15:22
S75	0	service$1 near director$4 and automatic$6 near15 (search$4 or discover$4) near15 service$1 near director$4 and 709/220.ccls. and (@ad<"20010406" or @rlad<"20010406")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 15:22
S76	14	service$1 near director$4 and (search$4 or discover$4) near15 service$1 near director$4 and 709/220.ccls. and (@ad<"20010406" or @rlad<"20010406")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 15:37

S77	169	automatic$4 near15 configur$6 near15 network$4 and 709/220. ccls. and (@ad<"20010406" or @rlad<"20010406")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 15:38
S78	78	automatic$4 near15 configur$6 near15 network$4 and discover$4 same register$4 and (@ad<"20010406" or @rlad<"20010406")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 15:39
S79	21	automatic$4 near15 configur$6 near15 network$4 and discover$4 same register$4 same directory and (@ad<"20010406" or @rlad<"20010406")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 15:51
S80	235	automatic$4 near15 configur$6 near15 network$4 and search$4 same (regist$5 or directory) and (@ad<"20010406" or @rlad<"20010406")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 15:53
S81	29	automatic$4 near15 configur$6 near15 network$4 and search$4 near15 (regist$5 or directory) near15 register$6 and (@ad<"20010406" or @rlad<"20010406")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 15:52
S82	15	automatic$4 near15 configur$6 near15 network$4 and automatic$6 near15 search$4 same (regist$5 or directory) and (@ad<"20010406" or @rlad<"20010406")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 17:14
S83	144	jini same look$up and (@ad<"20010406" or @rlad<"20010406")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 17:15
S84	46	jini same look$up and discover$4 same join$4 and (@ad<"20010406" or @rlad<"20010406")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 17:15

S85	43	jini same look$up and discover$4 same join$4 same look$up and (@ad<"20010406" or @rlad<"20010406")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 17:15
S86	35	jini same look$up and discover$4 same join$4 same look$up and api$1 and (@ad<"20010406" or @rlad<"20010406")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 18:28
S87	2	"6426959".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 18:26
S88	84	jini same api$1 and (@ad<"20010406" or @rlad<"20010406")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 18:28
S89	20882695	jini same api$1 and gui same api$1 (@ad<"20010406" or @rlad<"20010406")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 18:30
S90	16	jini same api$1 and gui same api$1 and(@ad<"20010406" or @rlad<"20010406")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 18:30